



CLEARVIEW

## Tent Information Guide and Process

### When is a building permit required for a tent?

- A tent that is more than 60m<sup>2</sup> (645 ft<sup>2</sup>) in area, or
- A group of tents (spaced less than 3 m (10'0") apart that are more than 60m<sup>2</sup> (645 ft<sup>2</sup>) in area.

### Drawing requirements for a tent building permit application

1. A site plan showing the location of tent in relation to other structures and the property line (dimensions must be shown), location of fire access routes, overhead wires and washrooms and septic system where applicable.
2. Identification of duration that tent will be up.
3. Fabric specifications (material shall meet the requirements of CAN/ULC S109-M, "Standard for Flame Tests of Flame Resistant Fabrics and Films" or NFPA 701 "Standard Method of Fire Tests for Flame-Resistant Textiles and Films.).

### Additional drawing requirements for a tents more than 225 m<sup>2</sup> (2420 ft<sup>2</sup>) in area

1. Structural drawings stamped and signed by a professional engineer showing framing and anchorage requirements.
2. Interior drawings showing the location of means of egress and exit facilities, furnishings, location of fire extinguishers, exit lighting and occupant load.

### Additional Ontario Building Code Requirements for all tents

- All tents shall be at least 3m from property line.
- All tents shall be at least 3m from other tents or structures on the same property unless the tents are not intended to be occupied by the public.
- The ground under the tent and extending out to 3m from the tent shall be level and clear of all flammable or combustible material or vegetation.
- Tent fabric shall conform to CAN/ULC S109 or NFPA 701.
- Access shall be provided to within 100' (30m) of all tents for firefighting.
- Fire Code requires that there be no open flame (ie. Cooking facilities) within a tent.
- The Electrical Safety Authority requires a minimum of 3m clearance from the tent to all overhead wires.

### Additional building code requirements for tents with sidewalls, bleachers, or individual tents or groups of tents less than 3m apart and more than 225 sq. metres in aggregate area

- Fire Department may requires that a firewatch system be used, and where the occupant load exceeds 1000 persons a fire alarm system is to be installed, fire department may also requires the installation of emergency lighting and portable fire extinguishers.

- If a firewatch system is used, a person shall be employed for firewatch and shall be familiar with all the safety features including the fire safety plan, conditions of exits, ensuring the means of egress (corridors, aisles) is kept clear and that regulations are enforced.
- Egress and exiting shall conform to sections 3.3 and 3.4 of the Ontario Building Code including the provision of exit signs and emergency lighting at each exit.
- Where the area between the tents is used as a means of egress the width between the stake lines shall be the required width necessary for means of egress (6.1 mm per person) but not less than 3m. This area shall be unobstructed and shall lead to an open public thoroughfare.
- Support structure and anchorage shall be designed and reviewed by a professional engineer where an individual tent exceeds 225 sq.metres (2420 sq.ft.) in area.
- Where bleachers are provided in the tent they shall be designed in accordance with the following provisions.
  - 3.3.2.8 for guard regulations
  - 3.3.2.10 for bleacher dimensions
  - 4.1.5 for loading on bleacher seats
  - 4.1.5 for bleacher structural design
- Washroom facilities (may be toilets, sanitary privies, or chemical closets) and lavatories shall be provided in accordance with the appropriate table in 3.7 for the type of occupancy and occupant load that the tent is intended to serve. Existing facilities may be sufficient.

### **Where to apply for a building permit**

To apply for a building permit please bring all required drawings to the Clearview Municipal Office, located at 217 Gideon Street, Stayner, Ontario.

### **Cost of building permit**

The cost of the permit is \$170.00, we accept cash, cheque and debit as methods of payment. This includes the review of drawings, the building permit and building inspections.

### **Time**

Once a complete permit application is made the permit will be reviewed within a maximum of 10 business days.

### **Required Building Inspections**

Building inspections are booked through contacting the Building Department 705-428-6230 ext. 232. When requesting inspections, please quote Building Permit Number and allow a minimum of 48 hours' notice. Required inspections include;

- Tent inspection- prior to occupancy
- Inspector will verify that tent material bears the label that the material has been tested in conformance with CAN/ULC S109 or NFPA 701

### **Important Numbers to Know**

- Ontario One Call 1-800-400-2255 (natural gas, sewer and water lines, Hydro, Rogers Cable and Bell locates)
- Electrical Safety Authority: 1-877-ESA-SAFE (1-877-372-7233)

### **Any Questions?**

Phone: 705-428-6230 ext. 232  
Web: [www.clearview.ca](http://www.clearview.ca)

### **Office hours;**

Monday to Friday  
8:30am – 4:30pm